Filing Date: September 9, 2003

Complete set of claims

1 (canceled).

2 (currently amended). A composition comprising a photoacid generator and a fluorinated polymer, where the fluorinated polymer is a reaction product of polymer containing an aliphatic monocyclic fluoroalcohol unit with at least one compound capable of functionalizing the fluoroalcohol unit with an alkyloxycarbonylalkyl group of structure -(CR₃R₄)p(CO)OR₅, where R₃ and R₄ are independently H, F, (C₁-C₈)alkyl, (C₁-C₈)fluoroalkyl, cycloalkyl, cyclofluoroalkyl, (CR₃R₄)p(CO)OR₅, R₃ and R₄ may combine to form an alkylspirocyclic or a fluoroalkylspirocyclic group, R₅ is H or an acid labile group, and p=1-4, further where the fluorinated polymer in the composition has a monocyclic structure, and further where the polymer containing the monocyclic fluoroalcohol unit is selected from at least one of structures I to VIII,

Filing Date: September 9, 2003

where Rf is a fluoroalkyl group (C₁-C₈),

Ra, Rb, Rc, Re, Rg and Rh are independently alkyl and fluoroalkyl, and Ra-Re and Rg can independently be substituted with alkyl, fluoroalkyl, spirofluoroalkyl or spiroalkyl substituent, where at least one of Ra, Rb, Rc and Rd is a fluoroalkyl group.

Y is independently alkyl or fluoroalkyl spacer group (C1-C8), and

Filing Date: September 9, 2003

X is independently CF2 or O.

3 (canceled).

4 (canceled).

5 (canceled).

6 (canceled).

7 (canceled).

8 (original). The composition of claim 2, where the alkyloxycarbonylalkyl group is selected from t-butyloxycarbonylmethyl, methyl-adamantyloxycarbonylmethyl, t-amyloxycarbonylmethyl, methyl-norbornyloxycarbonylmethyl, butyloxycarbonylpropyl and t-butyloxycarbonyldifluorobutyl.

9 (previously amended). The composition of claim 2, where the acid labile group is selected from secondary and tertiary alkyls, acetals and ketals, trimethylsilyl, βtrimethylsilyl substituted alkyls, tetrahydrofuranyl, tetrahydropyranyl, substituted or unsubstituted methoxymethoxycarbonyl, and β -trialkylsilylalkyl.

10 (previously amended). The composition of claim 2, where the fluoroalcohol unit is further functionalized with a compound containing nonacid labile groups and/or acid labile groups.

Filing Date: September 9, 2003

11 (previously amended). The composition of claim 2, where the polymer containing an aliphatic monocyclic fluoroalcohol unit is selected from poly(1,1,2,3,3-pentafluoro-4-trifluoromethyl-4-hydroxy-1,6-heptadiene and poly(1,1,2,3,3-pentafluoro-4-trifluoroalkyl-4-hydroxy-1,6-heptadiene).

12 (previously amended). The composition of claim 2, where the composition further comprises a polymer with multicyclic units in the polymer backbone.

13 (previously amended). The composition of claim 12, where the polymer with the multicyclic unit is poly(1,1,2,3,3-pentafluoro-4-trifluoromethyl-4-hydroxy-1,6heptadiene) protected with an alkyloxycarbonylalkyl group.

14 (previously amended). The composition of claim 2, where the composition further comprises a dissolution inhibitor.

15 (previously amended). The composition of claim 2, where the composition further comprises a base or a photobase.

16 (previously amended). The composition of claim 2, further comprising secondary polymers.

17 (previously amended). The composition of claim 2, where the photoacid generator is selected from diazonium salts, iodonium salts, sulfonium salts, triazines, oxazoles, oxadiazoles, thiazoles, substituted 2-pyrones, phenolic sulfonic esters and mixtures thereof.

18 (new). The composition according to claim 2, where the polymer containing an aliphatic monocyclic fluoroalcohol unit is selected from at least one of the structures.

Filing Date: September 9, 2003

$$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \\ \end{array} \end{array} \end{array} \begin{array}{c} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c}$$

where, Rf is a fluoroalkyl group (C_1 - C_8),

Z is independently CF_2 , $C(C_nF_{2n+1)})_2$, $C(C_nF_{2n+1})$ (C_nH_{2n+1}) , n=1-12,

Y is independently alkyl or fluoroalkyl spacer group (C_1 - C_8), and

X is independently CF_2 or O.